PRODUCT CATALOG







SINCE 1974 STRONG MAN SAFETY PRODUCTS

Like many successful businesses, Strong Man Safety Products had humble beginnings, operating out of the garage of owners Jay and Elaine Kinder. Today, Strong Man Safety Products is a leading manufacturer of weather and debris enclosures for all seasons and applications.

The Difference Is In The Testing

As the nation's no. 1 supplier of debris netting and weather enclosures, we test every container of fire retardant material. We inspect every product container. And we insist on random inspections by an independent third party lab.

Then, There's The Service


Everyone on our sales staff has worked in the construction supply or scaffold industry. Which means we get it. We know the stress and pressures you face on a daily basis. A tarp not delivered on time means lost time and money out of your pocket. Debris netting that fails puts your company and workers in danger. We provide our customers with top-notch service from the moment the order is placed all the way to delivery. Our job is to keep you worry free.

Same Day Shipping

Most orders placed before 2 p.m. EST are shipped the same day.

With 40+ years of weather enclosure and debris netting experience, we know the industry inside and out. Our products are safe, smart and save you money in the long run. Once you try us, you'll love us.

Elaine Kinden



DEBRIS/SAFETY NETTING.SBN-427SBN-22SBN-324SBN-1460HEAVY-DUTY MESH TARPS
PRIVACY SCREEN KNITTED HIGH DENSITY POLYETHYLENE PRIV
PERSONNEL SAFETY NETS
PERSONNEL SAFETY NETS
CONSTRUCTION & SPECIALTY TARPS/WEATHER MIGHTY FIRE-RETARDANT CONSTRUCTION TA SUPER FIRE-RETARDANT CONSTRUCTION TA HEAVY-DUTY FIRE-RETARDANT CONSTRUCTION ECONO FIRE-RETARDANT CONSTRUCTION TA DRAINAGE TARP SNOW REMOVAL TARP SUPREME UV SILVER/BLACK NON-FIRE-RETAR
REINFORCED POLY SHEETINGD12/STRONG WRAP: FIRE-RETARDANT SCAFFSTRING REINFORCED POLYETHYLENESTRONG WEAVE 77
CURING BLANKET/VAPOR MOISTURE BLOCK . RAVEN VAPORBLOCK® PLUS™ 10/15

RAVEN VAPORBLOCK[®] PLUS[™] 20 CONKURE[™] WET CURING BLANKET

FENCING..... SBF-76 BARRIER FENCING SBF-18 DIAMOND MESH PLASTIC FENCING.

ACCESSORIES	• • •	••
BARRICADE & WARNING TAPE		
RUBBER STRAPS		
HEAVY-DUTY CABLE TIES		
SCAFFOLD/WIND CLIPS		
HEAVY DUTY POLYETHYLENE TAPE		
PVC SEAM TAPE		
BC-111 ROUND BARREL HEAVY DUTY	ΒU	NG

CUSTOM PRODUCTS

TABLE OF CONTENTS

· · · · · · · · · · · · · · · · · · ·	 	· · · · ·	· · · · · · · · · · · · · · · · · · ·	 	· · · · ·	 	· · · · ·	
ACY SCREEN								
ER ENCLOSUR ARP RP N TARP RP RDANT TARP	· · · · · · · · · · · ·	· · · · ·	· · · · · · · · · · · ·	· · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · ·	
OLD WRAP .	 	 		 	 	 		35 36
· · · · · · · · · · · · · · · · · · ·	 	 		 	 			
								41
E CORD	· · · · · · · · · · · ·	· · · · ·	· · · · · · · · · · · ·	· · · · · · · · · · · ·	· · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · ·	
								45



ONCE YOU TRY US, YOU'LL LOVE US!

Dealers and contractors alike trust and prefer Strong Man products. Simply put, since 1974, safety & service have been our strength!

Here are some reasons for choosing Strong Man:

- We're experts in weather and debris enclosures—so you don't have to be.
- We have distribution centers in Pompton Plains, New Jersey and Houston, Texas.
- Most orders received by 2 p.m. EST ship the same day.
- Our products meet OSHA specification
- From gas, moisture & vapor barriers to wet curing blankets to personnel safety nets, Strong Man has the products that provide total jobsite protection.
- We offer a complete line of construction





- tarps, as well as specialty tarps, scaffold wrap and reinforced poly.
- We offer a large inventory of fireretardant and non-fire-retardant debris and safety netting.
- Strong Man is Made To Order! We offer a full line of custom made products so that you can customize your jobsite safety needs. If there is a product or color you need that you do not see in our catalog, please call us at 1-800-950-6999 or email us at sales@strongman.com.







PVC-COATED DEBRIS/SAFETY NETTING

SBN-427

PVC-Coated Polyester with Reinforced Border Made in the USA

Product Features:

- Fire-Retardant: Meets NFPA 701 Method II
 & the Boston Fire Marshal Test BFD IX-1
- PVC-Coated Polyester
- Hole Openings Approx. 5/32" x 5/32"
- High Visibility Fluorescent Orange
- Lightweight, Durable & UV-Treated
- Fear-Resistant & Flexible In Cold Weather
- Meets OSHA Requirements & NYC Local Law #61

Product Uses:


- Jobsite & Scaffold Enclosure
- Barrier & Guardrail Protection
- Debris Netting
- Worker & Pedestrian Safety



Avai	ilability	
Sizes	FR Orange	
4' x 150'	 Image: A second s	
5'6" x 150'	1	

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.

1-800-950-6999 | strongman.com | sales@strongman.co The uses of these products are not limited to the above. Local, state or federal author concerning the proper use and installation of this product.








NR

PROJECT: THE DAKOTA BUILDING

The Dakota Building in New York City is well-known as the cooperative apartment building that has long housed artists and celebrities such as Lauren Bacall and John Madden. At 131-years old, the building needed a facelift, and Strong Man had the tools to keep the jobsite safe. Our SBN-22 DEBRIS NETTING was used to cover the scaffolding that surrounded the building during construction, protecting the elite residences, passersby and tourists on the street from potential flying debris hazards.






SBN-22

Product Features:

- Fire-Retardant: Meets NFPA 701 Method II & the Boston Fire Marshal Test BFD IX-1
- ▶ Knitted High Density Polyethylene (HDPE) With ¼" Mesh Openings
- Lightweight, UV-Treated & Long Lasting
- Edges Are Hemmed & Reinforced For Easy Installation
- Meets NYC Local Law 61 & OSHA Requirements When Installed Properly
- Economical & Cost-Effective

Product Uses:


- **Construction & Jobsite Protection**
- Contains Debris, Dust & Other Jobsite Materials
- Worker & Pedestrian Safety
- Scaffold Netting & Enclosure
- Industrial, Plant & Refinery Maintenance
- Short-Term Guardrail & Floor-To-Floor Netting



		Ava	ilability	J	
Sizes	FR Orange	FR Blue	FR Green	FR White	FR Black
4' x 150'	 Image: A second s	 Image: A second s			
5'6" x 150'	1	 Image: A second s			
8'6" x 150'	1	1	 Image: A second s	1	<
10'6" x 150'	1	1			1

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.









PROJECT: PRINCETON **FIRESTONE LIBRARY**

Princeton's Firestone Library was the first large American university library constructed after World War II. Plans to renovate the library aimed to create a building well-suited for modern library services while also providing a thorough selection of books and manuscript collections. During the 10 years it took to finish, the library went through multiple phases of renovations and stayed open the entire time. Strong Man's SBN-324 DEBRIS **NETTING** covered the scaffolds as renovations started, allowing library-goers to keep walking the halls and learning, without worry. Vertical debris netting was used on the jobsite, helping keep the jobsite and city safe.







SBN-324

Product Features:

- Available in Fire-Retardant & Non-Fire-Retardant
- Fire-Retardant: Meets NFPA 701 Method II & the Boston Fire Marshal Test BFD IX-1
- Knitted High Density Polyethylene (HDPE) With 1/16" Mesh Openings
- Hem Includes Reinforced Buttonholes
- UV-Treated & Long Lasting
- Flexible In Cold Temperatures
- Easy To Install Vertically Or Horizontally
- **Rip-Resistant Mesh**
- Air Permeable
- Durable 60% Mesh

Product Uses:

- Construction & Jobsite Protection
- Scaffold Netting & Enclosure
- Contains Debris, Dust & Other Jobsite Materials
- Temporary Guardrail Netting & Floor-To-Floor Netting
- Wind Barrier Or Shade Cloth
- Long Term Visual Barrier




Availability					
Sizes	FR Black	FR Green	FR White	Non-FR Black	Non-FR White
4' x 150'				 Image: A second s	
8'6" x 150'	1	1	1	1	 Image: A second s
10' x 150'	1		1	 Image: A second s	
10' x 300'				 Image: A second s	
12' x 300'				1	
15' x 150'				 Image: A second s	

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.

1-800-950-6999 | strongman.com | sales@strongman.com



60% **Shade Factor**







PROJECT: BETHLEHEM STEEL

Bethlehem, Pennsylvania is in the midst of transitioning from an industrial past to a modern future. Nowhere is this more evident than at Bethlehem Steel in Bethlehem, Pennsylvania. As the plant transforms from its former use to contemporary facilities, the installation of Strong Man's SBN-1460 HEAVY DUTY DEBRIS NETTING ensures no debris will endanger workers or pedestrians. The result is a safe and protected jobsite. Always trust Strong Man to get the job done right the first time.









SBN-1460

Product Features:

- Knitted High Density Polyethylene (HDPE) With 1/32" Mesh Openings
- Available In Non-Fire-Retardant Only
- Hem Includes Reinforced Buttonholes
- UV-Treated & Long Lasting
- Flexible In Cold Temperatures
- Easy To Install Vertically Or Horizontally
- **Rip-Resistant Mesh**
- Air Permeable
- Durable 70% Mesh

Product Uses:

- Construction & Jobsite Protection
- Scaffold Netting & Enclosure
- Contains Debris, Dust & Other Jobsite Materials
- Temporary Guardrail Netting & Floor-To-Floor Netting
- Wind Barrier Or Shade Cloth
- Long Term Visual Barrier
- Ideal For Use In Custom Fabrication





	Availability	
Sizes	Black	
10' x 300'	 Image: A second s	
12' x 300'	 Image: A second s	

70%

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.


Shade Factor





SUGGESTED INSTALLATION METHOD


For protection on open sides of buildings



The suggested installation methods depicted and described above may not be appropriate in all circumstances, as conditions that could affect the safe installation of the material may vary from site to site. This suggested installation is provided only as general guidance as to one typical installation method that may or may not, be appropriate for a particular application. Purchaser/user is solely responsible for the proper installation as may be appropriate, or inspect the installation and submit any questions regarding the particular application of the product to a qualified engineer. Strong Man Safety Products disclaims any responsibility for the results of any inappropriate or inadequate installation.

1-800-950-6999 | strongman.com | sales@strongman.com *The uses of these products are not limited to the above. Local, state or federal authorit. concerning the proper use and installation of this product.*

- UV-Treated Cable Ties
 Aircraft Cable OSHA Required
 Toeboard Fasten to Floor by Furring Strips or Large Head Nails or Power-Actuated Fasteners
 42" or 60" Depending on Local Laws
- 5 21" or 30" Depending on Local Laws



Heavy-Duty Mesh Tarp Versatile Enough To Hang Just About Anywhere!

Product Features:

- Knitted High Density Polyethylene (HDPE) With 1/32" Mesh Openings
- UV-Treated & Long Lasting
- Flexible In Cold Temperatures
- Installed Vertically Or Horizontally
- Easy To Install
- Durable 70% Mesh
- Webbing Added To Hem For Superior Strength

Product Uses:

- Debris Containment
- Bridges, Industrial Tanks & Yards, Water Towers
- Abrasive Blasting
- Commercial Construction Covers



Custom Sizes, Colors & Fire-Retardant Tarps Made to Order.

A	vailability
	Sizes
12' x 50'	20' x 40'
20' x 20'	20' x 50'
20' x 30'	30' x 40'

12'	X	2	6'	
Cov	e	ſS	Ν	0

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.

Dumpster ow Available!





KNITTED HIGH-DENSITY POLYETHYLENE PRIVACY SCREEN

Product Features:

- High Density Knitted Polyethylene Mesh (HDPE)
- Durable & UV-Treated
- Mold & Mildew Resistant
- Light Weight & Tear-Resistant
- Will Not Unravel When Cut Or Become Brittle In Harsh Conditions
- Reinforced Buttonholes Or Rust-Proof Grommets
- ▶ 85% Shade Cloth

Product Uses:


- Jobsite Perimeter Fence Screen
- Visual Privacy Screen
- Construction Jobsite Windscreen
- Fine Debris & Dust Containment
- Ideal For Use At Stadiums, Ball Parks, Athletic Events, Theme Parks, Concert Halls & Arenas, Universities & Colleges



		1	Availabilit	y
Sizes	Green w/	Green w/ grommets	Black w/ buttonholes	Black w/ grommets
68" x 150'	 Image: A second s	1	 Image: A second s	 Image: A second s
92" x 150'	 Image: A second s	1	 Image: A second s	 Image: A second s
68" x 50'		1		1

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.









PERSONNEL SAFETY NETS

Product Features:

- Industrial-Grade High Tenacity Knotted Nylon Netting With 3-¹/₂" Diamond Mesh For High Impact Shock Absorption
- 17,500 ft-lb Dynamic Drop Test Capacity ANSI A10.11-2010
- ▶ ½" High Tenacity Polypropylene Synthetic Rope Rated At 5,000 lb In Border
- Steel Snap Hooks (4' On Center & Staggered For Attachment To Nets)
- UV Treated & Stabilized
- Certified To Meet The Requirements Of ANSI A10.11, The U.S. Army Corp. Of Engineers & All Applicable OSHA Safety Rules & Regulations
- Standard & Heavy-Duty Styles Available

Product Uses:

- Provides Fall Protection For Jobsite Personnel
- ▶ High Rise Construction
- Industrial Yards, Plants, Refineries & Oil Drilling Platforms
- Bridge Construction, Demolition & Maintenance
- Protects Pedestrians & Neighboring Properties
- Tunnel & Overpass Construction
- Stock & Custom Sizes Available
- Available With Or Without Debris Liners
- Fire Retardant Nets, That Comply With NFPA 701 Meth II, Available As Custom Order

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.





MIGHTY FR CONSTRUCTION TARP

Product Features:

- Fire-Retardant: Meets NFPA 701 Method II & the Boston Fire Marshal Test BFD IX-1
- ▶ 18 Ounces Per Square Yard Coated PVC
- ▶ 6" Hem & 2" Welded D-Rings
- Rust-Proof Grommets
- Reinforced Hem
- Rope In Hem
- ▶ Grommets Down The Middle: Extra Tie-Off Point

Product Uses:

- Construction Or Scaffold Tarp
- Wind, Rain & Snow Protection
- Debris & Jobsite Safety
- ▶ Ideal For High Rise, Bridge & Tall Structure Rehabilitation Or Construction
- Perfect For High/Extreme Wind Conditions

Availability			
Sizes	# Per Carton		
15' x 20'	2		
20' x 21' Finished Size	1		
20' x 30'	1		

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.













SUPER FR Construction tarp

Product Features:

- Fire-Retardant: Meets NFPA 701 Method II & the Boston Fire Marshal Test BFD IX-1
- High Density White Woven Polyethylene (HDPE)
- Super Strong 14 x 14 Weave
- 4" Reinforced Hems
- D-Rings With Webbing Added For Extra Strength
- Grommets Added Around Perimeter & On Internal Seams
- Reinforced Hems & Corners
- Rip-Resistant Fabric
- Easy To Install, Secure & Remove

Product Uses:

- Construction Or Scaffold Tarp
- Abatement, Demolition & Restoration Tarp
- Wind, Rain & Snow Protection
- Temporary Heat Enclosure
- Debris & Dust Containment
- Ideal For High Rise, Bridge & Tall Structure Rehabilitation Or Construction
- Suitable For Moderate To High Wind Conditions

Availability				
Sizes	# Per Carton			
15' x 20'	3			
20' x 21' Finished Size	2			
20' x 30'	2			

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.













HEAVY-DUTY FR TARP

Product Features:

- Fire-Retardant: Meets NFPA 701 Method II & the Boston Fire Marshal Test BFD IX-1
- High Density White Woven Polyethylene (HDPE)
- Durable 10×10 Weave
- Rust-Proof Grommets
- 2" Reinforced Hem
- Sewn Corner Patches For Added Rope Strength In Hem
- Grommets Added Around Perimeter & On Internal Seams
- **Rip-Resistant Fabric**
- Easy To Install, Secure & Remove

Product Uses:

- Construction Or Scaffold Tarp
- Abatement, Demolition & Restoration Tarp
- Wind, Rain & Snow Protection
- Temporary Heat Enclosure
- Debris & Dust Containment
- Ideal For High Rise, Bridge & Tall Structure Rehabilitation Or Construction
- Suitable For Moderate Wind Conditions

Availability		
Sizes	# Per Carton	
10' x 20'	10	
12' x 20' Finished Size	5	
15' x 20'	5	
16' x 20' Finished Size	5	
20' x 21' Finished Size	4	
20' x 21' -5 Finished Size	4	
20' x 30' -1	2	
20' x 30' -3	2	

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.











ECONO FR TARP

Product Features:

- Fire-Retardant: Meets NFPA 701 Method II & the Boston Fire Marshal Test BFD IX-1
- High Density White Woven Polyethylene (HDPE)
- Cost-Effective & Economical
- Durable 7 × 7 Weave
- Rust-Proof Grommets
- Plastic-Reinforced Corner Pieces Added For Extra Strength
- Grommets Added Around Perimeter & On Internal Seams
- ▶ Rip-Resistant Fabric
- Easy To Install, Secure & Remove

Product Uses:

- Construction Or Scaffold Tarp
- Abatement, Demolition & Restoration Tarp
- Wind, Rain & Snow Protection
- ▶ Temporary Heat Enclosure
- Debris & Dust Containment
- Designed For Use On Lower Floors Of Construction Projects with Low to Moderate Weather Conditions
- Suitable For Low to Mild Wind Conditions

Availability		
Sizes	# Per Carton	
15' x 20'	5	
20' x 21' Finished Size	4	
20' x 30'-1	2	

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.








GO STRONG ALL YEAR LONG

29


FIRE-RETARDANT TARP PRODUCT DIAGRAM


Heavy-Duty & Econo Construction Tarps Only*



FIRE-RETARDANT TARP **PRODUCT DIAGRAM**

Mighty Tarp & Super FR Tarp Only*









* Due to manufacturing allowances, slight variations may appear. The user must determine suitability and proper installation.





DRAINAGE TARP WATER DIVERTING TARP

Product Features:

- Fire-Retardant: Meets NFPA 701 Method II & Boston Fire Marshal Test BFD IX-1
- High Density White Woven Polyethylene (HDPE)
- Super Strong 14×14 Weave
- 1" D-Ring In Each Corner*
- **Double Stitched Hems**
- Equipped With Fitting That Easily Connects To Any Standard ³/₄" Garden Hose

All Tarps Listed Are Finished Size Each Side (Middle)

SNOW REMOVAL TARP

Product Features:

- ▶ 18 oz Black Heavy-Duty PVC-Coated Polyester With Heat-Sealed Construction
- Stock Size: 20' x 20'
- 4" Yellow Heavy-Duty Lifting Slings Sewn In Each Corner For Ease Of Movement
- Stainless Steel, Rust-Proof Grommets Installed 24" On Center Around The Perimeter
- Webbing-Reinforced Perimeter
- Heavy-Duty, UV-Resistant Thread With "Lockstitch Sewing"

Availability		
Sizes	# Per Carton	
3' X 6'	10	
6' X 6'	10	
6' X 8'	10	
6' X 10'	5	
10' X 10'	5	
12' X 12'*	5	
15' X 15'*	5	
*Sizes 12' X 12' & 15' X 15' Have Additional D-Rings On		

SUPREME UV Non-Fire **RETARDANT TARP**

Product Features:

- High Density Woven Polyethylene (HDPE)
- Color: Top Silver, Bottom Black
- Strong 14 x 14 Weave
- 10 Mil Thickness
- Rust-Proof Grommets Every 3' On Center
- Heat-Sealed Hems
- Polypropylene Rope In Hem
- Heavy Duty Plastic-Reinforced Corners
- UV-Treated & Long Lasting

Product Uses:

- Remediation, Abatement & Containment
- **Residential & Commercial Construction Covers**
- Sandblasting & Paint Overspray
- Dust Containment & Coarse Blasting
- Equipment Protection

Availability		
Sizes	# Per Carton	
20' X 20'	3	
20' X 30'	2	
20' X 40'	2	
30' X 40'	1	
30' X 50'	1	
40' X 60'	1	
50' X 100'	1	
100' X 100'	1	

1-800-950-6999 | strongman.com | sales@strongman.com

Product Uses:

Man Quality

Jobsite Snow Removal

Easy To Use & Efficient

Superior Fabrication & Strong

Helps To Keep Your Jobsite On

You Labor & Lost Man Hours

Schedule & On Budget By Saving



All Tarps Listed Are Finished Size





D12/STRONG WRAP: FR SCAFFOLD WRAP

Product Features:

- Fire-Retardant: Meets NFPA 701 Method II & Boston Fire Marshal Test BFD IX-1
- Premium Quality String Reinforced Poly
- Base Material:

3 × 3 Weave Per Square Inch, 2400 Denier 250 GSM Including Reinforcing Band Color: Milky White

- Reinforced Bands:
 - 14×14 Weave Per Square Inch, 1200 Denier Pre-Punched 15mm Eyelets For Easy Installation Color: Gray
- Easy To Install & Remove With Strong Man Bungee Cords
- Superior Performance In Cold & Extreme Weather Conditions
- ▶ UV-Treated & Highly Rip-Resistant

Product Uses:

- Scaffold & Building Enclosure
- Total Weather & Jobsite Protection
- Abatement, Demolition & Restoration Enclosure
- Debris, Dust, Paint Overspray & Sandblast Containment
- Temporary Heat Enclosure
- Ideal For Use On Scaffold, Bridges, Towers & Tall Buildings

	Availability	
Sizes	with 3 Bands	with 5 Bands
7'6" x 100'	 Image: A second s	
8'6" x 100'	1	
13' x 100'		 Image: A second s

Use With Our BC-111 Bungee Cords & HD Poly **Tape To Ensure Proper Installation!**









STRING REINFORCED POLYETHYLENE

Product Features:

- Fire-Retardant: Meets NFPA 701 Method II & the Boston Fire Marshal Test BFD IX-1
- Super Strong Polyethylene Sheeting With Reinforced Scrim
- FR Material: Milky White
- Non-FR Material: Clear
- 6 & 10 Mil Thickness
- UV-Treated & Long Lasting
- Flexible In Cold Temperatures
- Durable With Superior Strength
- Puncture & Tear-Resistant
- Weather & Mildew Resistant

Product Uses:

- Temporary Building, Scaffold & Construction Enclosure
- Wind & Weather Enclosure
- Abatement, Containment & Ground Cover
- Temporary Heating Enclosure
- Demolition, Dust & Debris Control

Availability		
Sizes	Clear Non-FR	White Fire-Retardant
10' x 100'	✓	 Image: A second s
20' x 100'	 Image: A second s	1
20' x 100' (10 Mil)	✓	✓
40' x 100'	 Image: A second s	1

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.

STRONG WEAVE 77 WOVEN REINFORCED POLY

Product Features:

- Fire-Retardant: Meets NFPA 701 Method II
- & the Boston Fire Marshal Test BFD IX-1
- High Strength Coated Woven Reinforced Poly Sheeting
- FR Material: Milky White
- Non-FR Material: Clear
- 6 Mil Thickness
- UV-Treated & Long Lasting
- Flexible In Cold Temperatures
- Durable With Superior Strength
- Puncture & Tear-Resistant
- Weather & Mildew Resistant

Product Uses:

- Temporary Building, Scaffold & Construction Enclosure
- Wind & Weather Enclosure
- Abatement. Containment & Ground Cover
- Temporary Heating Enclosure
- Demolition. Dust & Debris Control

	Availability	l
Sizes	Clear Non-FR	White Fire-Retarda
20' x 100'	 Image: A second s	 Image: A set of the set of the
40' x 100'	 Image: A second s	 Image: A second s

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.







VAPORBLOCK® 10 & 15

Product Features:

- VaporBlock[®] is a high performance, underslab vapor barrier designed to retard moisture migration through concrete slabs and concrete walls to protect your structure from:
- MOLD: VaporBlock[®] reduces moisture condensation within a structure, impeding the growth of molds, mildews, and fungi.
- MOISTURE: VaporBlock® protects flooring materials by maintaining moisture levels well below the requirements of ASTM E-1745-11.
- RADON: VaporBlock[®] is used as a component of radon mitigation systems to protect indoor air quality and occupant health. Raven also offers VaporBlock[®] Plus[™], a highly effective gas and moisture barrier.

Product Uses:

- VaporBlock[®] is one of the most effective underslab vapor barriers on the market today! Benefits include:
- Low moisture vapor permeability
- Superior puncture resistance
- High tensile tear strength
- Resistance to decay and degradation
- VaporBlock[®] is manufactured to strict conformance specifications under our ISO 9001 Certified Management System to consistently exceed ASTM standards and project expectations.

Availabil	lity
Sizes	Blue
VaporBlock 10 – 15' x 200'	✓
VaporBlock 15 – 12' x 200'	

	Applications	
Underslab Vapor Retarder/Barrier	Foundation Wall Vapor Retarder	Radon Retarder

RAVEN VAPORBLOCK® PLUSTM 20

Product Features:

- ▶ VaporBlock[®] Plus[™] 20 is a seven-layer co-extruded barrier made from state-of-the-art polyethylene & EVOH resins to provide unmatched impact strength as well as superior resistance to gas & moisture transmission
- VaporBlock[®] Plus[™] 20 is a highly resilient underslab / vertical wall barrier designed to restrict naturally occurring gases such as radon and/or methane from migrating through the ground & concrete slab.
- VaporBlock[®] Plus[™] 20 is more than 100 times less permeable than typical high-performance polyethylene vapor retarders against Methane, Radon & other harmful VOCs.
- VaporBlock[®] Plus[™] 20 is one of the most effective underslab gas barriers in the building industry today far exceeding ASTM E-1745

Product Uses:

- VaporBlock[®] Plus[™] 20 resists gas & moisture migration into the building envelop when properly installed to provide protection from toxic/harmful chemicals.
- It can be installed as part of a passive or active control system extending across the entire building including floors, walls & crawl spaces.
- VaporBlock[®] Plus[™] 20 works to protect your flooring & other moisture-sensitive furnishings in the building's interior from moisture & water vapor migration, greatly reducing condensation, mold & degradation.

	Availability	
Sizes	White	Tan
10' x 150'	✓	 Image: A second s

	Applications	
Radon Barrier	Methane Barrier	VOC
Under-Slab Vapor Retarder	Foundation Wall Vapor Retarder	

1-800-950-6999 | strongman.com | sales@strongman.com

UNDERSTAD







Product Uses:

- Flat Work
- Pavement
- Roads
- Columns
- Bridges
- Tunnels
- Building Construction
- Decorative Concrete
- Stained Concrete

	Availability
Sizes	Conkure™ Wet Curing Blanket
9' x 250'	✓



SBF-76: BARRIER FENCING

Product Features:

- Easy Installation & Dismantling
- Low Cost
- Easy Handling
- High Density Polyethylene
- High Strength
- Durable
- Lightweight
- High Visibility Orange

	A
Sizes	
4' x 100'	
4' x 150'	

SBF-18: DIAMOND MESH PLASTIC FENCING

Product Features:

- High Strength
- Rigid
- High Visibility
- Durable
- UV-Stabilized
- High Visibility Orange 4' x 50'

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.

Sizes

CURING BLANKET








Availability

Orange

1









BARRICADE & WARNING TAPE (HEAVY-DUTY POLY)

Product Features:

- Accident Prevention
- Traffic Control
- Use Indoors & Outdoors
- Construction-Site Safety
- Industrial/Chemical Plants Utility Companies

Police/Fire Departments

Product Uses:



RUBBER STRAPS

Product Features:

- Made From Strong Low Density Polyethylene Resin
- Durable & Long Lasting
- Equipped With "S" Hooks For Easy & Secure Installation
- 31" Available
- Black
- Works Well In Warm Or Cold Weather
- Easy To Use & Install



Use The Strong Man Rubber Strap When Installing Any Of Our Construction. Mesh Or Specialty Tarps.



Thousands of other tie-down uses

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.

HEAVY-DUTY CABLE TIES

Product Features:

- ▶ High Quality, HEAVY-DUTY Nylon
- 8", 11" & 14" Available 50 & 120 lb Test Strength
- Black Or White Available
- UV-Treated & Long Lasting
- Heat-Stabilized
- Angled Tail Features For Easy Handling & Alignment

- Specialty Tarps.

SCAFFOLD/ WIND CLIPS

Product Features:

- Heavy-Duty Polyethylene Base Material
- Consistent Fabrication
- Flexible, But Strong
- Durable In Cold Weather
- Length-Wise Opening Allows For Easy Installation
- Size/Packaging: 11"/100 Clips/Ctn

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.

1-800-950-6999 | strongman.com | sales@strongman.com

Product Uses:

Use Strong Man Cable Ties When Installing Our Debris Netting, Scaffold Wrap, Poly Sheeting, Construction &





Product Uses:

Secures Reinforced Poly To Scaffolding Industrial/Commercial Jobsites **Remediation Sites High-Rise Construction**





HEAVY DUTY POLYETHYLENE TAPE

Product Features:

- Heavy Coat Weight Adhesive Allows For High Adhesion To Surfaces
- Ultra-Strong
- Designed For Permanent
- Applications
- 10 Mil
- 16 Rolls Per Carton

PVC SEAM TAPE

Product Features:

- Industrial Strength
- Ultra-Strong Grip
- Designed To Hold Back Wind & Weather
- 6 Mil
- 8 Rolls Per Carton



Ideal For Use With Our String & Woven Reinforced Poly & Scaffold Wrap

	Availability
Sizes	White
6" x 108'	 Image: A second s

Product Uses:

& Specialty Tarps.

Sizes

12"

Use The Strong Man BC-111

Round Barrel Heavy Duty Bungee

Cords When Installing Scaffold Wrap, Poly Sheeting, Construction

Availability

Black

1

BC-111 ROUND BARREL HEAVY DUTY BUNGEE CORD

Product Features:

- Heavy Duty Hook-&-Barrel Design
- Good In Warm & Cold Weather
- 100 Ties Per Bag, 1000 Pieces Per Carton
- Easy To Use & Install

The uses of these products are not limited to the above. Local, state or federal authorities should be consulted concerning the proper use and installation of this product.

Product Uses:

▶ Ideal For Use With Our String & Woven Reinforced Poly & Scaffold Wrap



STRONG MAN IS MADE TO ORDER! When it comes to custom-made products, quality counts. So does quick delivery and reliability. Only one company provides all three – STRONG MAN[®]. Don't trust your "Made to Order" needs to just anyone. Go with the debris netting & weather enclosure experts at STRONG MAN®



STRONG MAN® has the fabrication expertise to customize all your jobsite enclosure needs. We custom-make the order to your specifications and deliver it to your location or drop ship it to your customer on time and as promised. Whether you need Construction Tarps, Air Bag Tarps, Demo & Mesh Tarps or a Lifting or Personnel Safety Net, STRONG MAN® has you covered!

PERSONNEL SAFETY NETS

- Fire Retardant &
- Non-Fire Retardant
- Available With Or Without A Debris Liner
- UV-Treated

CONSTRUCTION TARPS

- Fire Retardant
- Heavy Duty Polyethylene Material
- Superior Fabrication & Quality

SPECIALTY TARPS

- Heavy Duty Material & Webbing Available
- **Durable & Strong**
- Snow. Demo & Canvas Tarps Available



1-800-950-6999 | strongman.com | sales@strongman.com





MESH TARPS

- Fire Retardant & Non-Fire Retardant
- Available With Or Without A Debris Liner
- UV-Treated



AIR BAG TARPS

- Fire Retardant & Non-Fire Retardant
- Coated & Uncoated Material Available



PERIMETER SAFETY SYSTEMS

Perimeter Net Safety Systems Provide Passive Fall Protection For **Construction Workers At Elevated** Heights Where Other Means Of Fall Protection Are Not Practical

JOBSITE ENCLOSURE & CONTAIMENT PRODUCTS















PROJECT: TRANSBAY TRANSIT CENTER

Construction on San Francisco's Transbay Transit Center started in 2008 with plans to centralize the region's transportation network and create the Grand Central of the West. The first phase included the construction of the new Transit Center and bus ramps connecting the building and the west approach of the Bay Bridge as well as the busstorage facilities. The below-grade train platform and mezzanine levels of the Center were built in the second phase, rounding the total cost of the project to \$105 million. Strong Man SBN-22 DEBRIS **NETTING** secured the area during both phases of construction, keeping hundreds of workers safe on the site. The Transit Center accommodates nine transportation systems, and the surrounding area was redeveloped to include housing and retail.



