

# Strong String Reinforced Poly

## Square and Diamond Pattern




## Strong String Reinforced Poly

Square and Diamond Scrim Options

String reinforced poly sheeting is manufactured to be tear and puncture resistant and highly durable. Reinforced poly can be used in array of applications including enclosures, temporary containment, abatement covers, ground covers and underlayment.

Picture Description:  
Square Reinforced Poly  
Size: 20' x 100'



- High strength polyethylene film with a tear & puncture resistant reinforced scrim
- Mil thickness: 6 mil, 10 mil
- Scrim: Diamond scrim & Square scrim reinforced options
- Temporary weather barrier, wall, roof & window
- Contains particulate matter on the job-site
- Weather resistant reinforced string poly
- Mold & mildew resistant
- Durable & long lasting
- Non-Fire Retardant: Clear
- Fire Retardant: Milky White
- Fire Retardant (FR) meets NFPA 701 Test Method II

## Specifications

Dimensions. Ratings. Part Information

All poly rolls are tightly packaged into clear poly bags with branded labels for easy shipping and handling. All Fire Rated (FR) String Poly is Tested and Approved NFPA 701 and Boston Fire Marshal BFD 1X-1.



**Distribution Centers:**

- New Jersey**
- Florida**
- Illinois**
- Texas**
- Washington State**
- California**



## Product Features / Key Benefits

**Strong String Reinforced Poly** may be installed vertically or horizontally. Square reinforce sheeting includes bands with eyelets for easy attachment points. Square and Diamond Poly options can be attached using scaffold wind clips, bungees ties, tie wire and Furring strips for fastening directly to a building or structure.

Description/Item #	Mil	Scrim	Size	Flame Retardant	PKG
<b>Square Pattern String Poly</b>					
SPI10FR	6	Square	10' x 100'	FR	1/bag, 42/pallet
SPI20FR	6	Square	20' x 100'	FR	1/bag, 25/pallet
SPI20FR10	10	Square	20' x 100'	FR	1/bag, 9/pallet
SPI40FR	6	Square	40' x 100'	FR	1/bag, 12/pallet
SPI40FR10	10	Square	40' x 100'	FR	1/bag, 12/pallet
SPI20NFR	6	Square	20' x 100'	NFR	1/bag, 25/pallet
SPI20NFR10	10	Square	20' x 100'	NFR	1/bag, 9/pallet
SPI40NFR	6	Square	40' x 100'	NFR	1/bag, 12/pallet
SPI40NFR10	10	Square	40' x 100'	NFR	1/bag, 5/pallet
<b>Diamond Pattern String Poly</b>					
SPD10NFR	6	Diamond	10' x 100'	NFR	1/bag, 40/pallet
SPD20NFR	6	Diamond	20' x 100'	NFR	1/bag, 16/pallet
SPD20NFR10	10	Diamond	20' x 100'	NFR	1/bag, 16/pallet
SPD20FR10	10	Diamond	20' x 100'	FR	1/bag, 16/pallet
SPD40NFR	6	Diamond	40' x 100'	NFR	1/bag, 16/pallet
<b>Anti-Static Non-Reinforced Poly</b>					
ASP20FR	6	Non-Reinforced	20' x 100'	FR	1/bag, 20/pallet



**Distribution Centers:**

- New Jersey**
- Florida**
- Illinois**
- Texas**
- Washington State**
- California**



## Product Illustration

**Strong String Reinforced Poly-Square Pattern** comes standard with **Reinforcing Bands with 15MM Eyelets** that are used as attachment points making installation simple and fast. The additional tie-off points reduces flapping and improves performance.

Diagrams represent the 10 mil fire retardant and the 6 mil & 10 mil non-fire retardant square string poly only.  
The diagrams do not apply to the 6 mil fire retardant square string poly.

