



**GO STRONG ALL YEAR LONG**

[www.strongman.com](http://www.strongman.com) | 1-800-950-6999






# CONSTRUCTION TARPS

## The Strong Man Mighty Tarp

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ 18 Ounces Per Square Yard Coated PVC
- ▶ 6" Reinforced Hem & 2" Welded D-Rings
- ▶ Rust-Proof Brass Grommets
- ▶ Polypropylene Rope In Hem
- ▶ Puncture & Tear-Resistant
- ▶ Grommets Down The Middle: Extra Tie-Off Point


**Sizes & Availability:**  
15' x 20' (2 Per Carton)  
20' x 21'-2 Finished Size (1 Per Carton)  
20' x 30'-3 (1 Per Carton)



## Super Fire Retardant Tarp

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ High Density White Woven Polyethylene
- ▶ Super Strong 14x14 Weave
- ▶ 1" Welded D-Ring With Webbing Added For Extra Strength
- ▶ 4" Reinforced Hems & Corners
- ▶ Polypropylene Rope In Hem
- ▶ Puncture & Tear-Resistant
- ▶ Grommets Down The Middle: Extra Tie-Off Point

**Sizes & Availability:**  
15' x 20' (3 Per Carton)  
20' x 21' Finished Size (2 Per Carton)  
20' x 30'-3 (2 Per Carton)



## Heavy Duty Fire Retardant Tarp

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ High Density White Woven Polyethylene
- ▶ Durable 10x10 Weave
- ▶ 2" Reinforced Hem & Rust Proof Grommets
- ▶ Sewn Corner Patches & Rope In Hem For Added Strength
- ▶ Puncture & Tear-Resistant
- ▶ Grommets Down The Middle: Extra Tie-Off Point

**Sizes & Availability:**  
10' x 20' (10 Per Carton)  
12" x 20' Finished Size (5 Per Carton)  
15' x 20' (5 Per Carton)  
16' x 20' Finished Size (5 Per Carton)  
20' x 21' Finished Size (4 Per Carton)  
20' x 21'-5 Finished Size (4 Per Carton)  
20' x 30'-1 (2 Per Carton)  
20' x 30'-3 (2 Per Carton)



## Econo Fire Retardant Tarp

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ High Density White Woven Polyethylene
- ▶ Cost-Effective & Economical
- ▶ Durable 7x7 Weave & Rust Proof Grommets
- ▶ Plastic Reinforced Corner Pieces Added For Extra Strength
- ▶ Puncture & Tear-Resistant
- ▶ Grommets Down The Middle: Extra Tie-Off Point

**Sizes & Availability:**  
15' x 20' (5 Per Carton)  
20' x 21' Finished Size (4 Per Carton)  
20' x 30'-1 (2 Per Carton)



# WET CURING BLANKETS


## Conkure® Wet Curing Blanket

- ▶ Highly Absorbent Synthetic Needle-Punched Fabric Coated With A White Reflective Film
- ▶ Will Not Rot Or Mildew
- ▶ Lightweight & Disposable
- ▶ Economical Choice For Concrete Curing
- ▶ Strong Enough To Be Reused When Cared For Properly

**Sizes & Availability:**  
9' x 250'

**Uses:**

- ▶ Flat Work
- ▶ Pavement
- ▶ Roads
- ▶ Columns
- ▶ Bridges
- ▶ Tunnels
- ▶ Building Construction
- ▶ Decorative Concrete
- ▶ Stained Concrete





## SPECIALTY TARPS

### Supreme UV Silver/Black Non-Fire Retardant Tarp

- ▶ Color: Top – Silver, Bottom – Black
- ▶ High Density Woven Polyethylene
- ▶ 14x14 Weave, 10 Mil Thickness
- ▶ Rust-Proof Grommets Every 3' On Center
- ▶ Heat-Sealed Hems & UV-Treated
- ▶ Polypropylene Rope In Hem
- ▶ Heavy-Duty Plastic-Reinforced Corners
- ▶ UV-Treated
- ▶ Puncture & Tear-Resistant

#### Sizes & Availability:

16'x20' (4 Per Carton)	30'x50' (1 Per Carton)
20'x20' (3 Per Carton)	40'x60' (1 Per Carton)
20'x30' (2 Per Carton)	50'x100' (1 Per Carton)
20'x40' (2 Per Carton)	100'x100' (1 Per Carton)
30'x40' (1 Per Carton)	

- ▶ All Tarps Listed Are Finished Size



### Fire Retardant Drainage Tarp

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ Color: White
- ▶ High Density Woven Polyethylene
- ▶ 14x14 Weave
- ▶ Double-Stitched Hems
- ▶ Equipped With Fitting That Easily Connects To Any Standard 3/4" Garden Hose
- ▶ Puncture & Tear-Resistant
- ▶ 1" D-ring

#### Sizes & Availability:

3'x6' (10 Per Carton)	10'x10' (5 Per Carton)
6'x6' (10 Per Carton)	12'x12' (5 Per Carton)
6'x8' (10 Per Carton)	15'x15' (5 Per Carton)
6'x10' (5 Per Carton)	

- ▶ All Tarps Listed Are Finished Size
- ▶ Sizes 12'x12' & 15'x15' Have Additional D-Rings On Each Side (Middle)



### Snow Tarp

- ▶ 18 Oz PVC-Coated Polyester
- ▶ Stock Color: Black
- ▶ Webbing: 4" Lifting Slings On Each Corner
- ▶ Stainless Steel Grommets Every 24" On-Center
- ▶ Heat-Sealed Construction
- ▶ Lockstitch Sewing Around The Perimeter
- ▶ Webbing-Reinforced Perimeter

#### Sizes & Availability:

- ▶ 20' x 20'



### Demo, Canvas & Air Bag Tarps & Lifting Nets

- ▶ Heavy-Duty Webbing, Stitching & Grommets
- ▶ Durable & Strong Material
- ▶ Superior, Consistent Fabrication
- ▶ Fire-Retardant & Non-Fire Retardant Available

#### Sizes & Availability:

- ▶ Each Request Is **MADE TO ORDER**. Please Call For More Information And A Quote Today
- ▶ Fire-Retardant Not Available In All Material



## VAPOR/MOISTURE BARRIERS

### Raven VaporBlock® 10, 15 & Plus™ 20

- ▶ Highly-Resilient Underslab/Vertical Wall Barrier
- ▶ Constructed From State-Of-The-Art Polyethylene & Barrier Resins
- ▶ Superior Resistance To Gas & Moisture Transmission
- ▶ Resists Attack By Organisms In The Contracting Soil
- ▶ Greatly Reduces Damaging Moisture Migration Through Walls & Under Concrete Slabs
- ▶ Resists Tearing & Puncture During Installation
- ▶ Meets Or Exceeds ASTM E-1745 Performance Classes
- ▶ Excellent "Perm Ratings"

#### Sizes & Availability:

VaporBlock 10: 15' x 200'
VaporBlock 15: 12' x 200'
VaporBlock Plus 20: 10' x 150'

- ▶ Visit [WWW.STRONGMAN.COM](http://WWW.STRONGMAN.COM) For A Full Cut/Spec Sheet



# DEBRIS & SAFETY NETTING

## SBN-22 Safety Debris Netting

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ Knitted High Density Polyethylene Mesh With 1/4" Hole Openings
- ▶ Economical & Cost-Effective
- ▶ Lightweight, UV-Treated & Long-Lasting
- ▶ Edges Are Reinforced And Hemmed Fthank or Easy Installation
- ▶ Meets OSHA Requirements

### Sizes & Availability:

Orange/Blue Fire Retardant:	4' x 150'	8'6" x 150'
	5'6" x 150'	10'6" x 150'
Black Fire Retardant:	8'6" x 150'	10'6" x 150'
Gray/Green/White Fire Retardant:	8'6" x 150'	
Black Non-Fire Retardant:	4' x 150'	10'6" x 150'
	8'6" x 150'	




## SBN-427 PVC-Coated Debris Netting

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ PVC-Coated Polyester
- ▶ Hole Openings Approximately 5/32" x 5/32"
- ▶ High Visibility Fluorescent Orange
- ▶ Lightweight, Durable & UV-Treated
- ▶ Tear-Resistant & Flexible In Cold Weather
- ▶ Meets OSHA Requirements & NYC Local Law #61

### Sizes & Availability:

4' x 150'
5'6" x 150'



## SBN-324 Debris Netting

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ Knitted High Density Polyethylene With 1/16" Mesh Openings
- ▶ Reinforced Buttonholes For Easy Installation
- ▶ UV-Treated & Long-Lasting
- ▶ Flexible In Cold Temperatures
- ▶ Installed Vertically Or Horizontally
- ▶ Easy To Install
- ▶ Durable 60% Mesh

### Sizes & Availability:

Black/White Fire Retardant:	8'6" x 150'	10' x 150'
Green Fire Retardant:	8'6" x 150'	
Black Non-Fire Retardant:	4' x 150'	15' x 150'
	8'6" x 150'	10' x 300'
	10' x 150'	12' x 300'




## SBN-1460 Heavy Duty Debris Netting

- ▶ Knitted High Density Polyethylene With 1/32" Mesh Openings
- ▶ Available In Non-Fire Retardant Only
- ▶ Reinforced Buttonholes For Easy Installation
- ▶ UV-Treated & Long-Lasting
- ▶ Flexible In Cold Temperatures
- ▶ Installed Vertically Or Horizontally
- ▶ Durable 70% Mesh

### Sizes & Availability:

Black Non-Fire Retardant:	10' x 300'	12' x 300'
---------------------------	------------	------------




## Heavy Duty Mesh Tarps

- ▶ Knitted High Density Polyethylene With 1/32" Mesh Openings
- ▶ Reinforced Hems With Grommets Added For Superior Strength
- ▶ Tear-Resistant
- ▶ Installed Vertically Or Horizontally
- ▶ Easy To Install
- ▶ Durable 70% Mesh
- ▶ Webbing With Grommets Added To Hem For Superior Strength

### Sizes & Availability:

12' x 50'
20' x 20'
20' x 30'
20' x 40'
20' x 50'
30' x 40'
12' x 25' Dumpster Covers Now Available!



- ▶ Custom Sizes & Fire Retardant Tarps **MADE TO ORDER!**

# DEBRIS & SAFETY NETTING

## Privacy Screen


- ▶ High Density Knitted Polyethylene Mesh
- ▶ Durable & UV-Treated
- ▶ Mold & Mildew-Resistant
- ▶ Light Weight & Tear-Resistant
- ▶ Reinforced Buttonholes Or Rust-Proof Grommets
- ▶ 85% Shade Cloth

### Sizes & Availability:

Green/Black With  
Rust-Proof Grommets: 68" x 50'  
68" x 150'  
92" x 150'

Green/Black/Blue:  
With Reinforced Buttonholes 68" x 150'  
92" x 150'

Saddle Tan: 68" x 150'



## Personnel Safety Nets

- ▶ High Tenacity Synthetic Mesh
- ▶ Shock-Absorbing
- ▶ Rope In Border
- ▶ Snap Hooks (4' On Center & Staggered For Attachment To Nets)
- ▶ Meets OSHA & ANSI Requirements

### Sizes & Availability:

- ▶ Stock & Custom Sizes Available
- ▶ Standard & Heavy-Duty Styles Available

- ▶ Available with or without an attached debris liner



# REINFORCED POLY SHEETING & SCAFFOLD WRAP

## D12/Strong Wrap: Fire Retardant Scaffold Wrap

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ Scrim-Reinforced Low Density Polyethylene
- ▶ Fabric Weight Including Reinforced Bands: 250 GSM
- ▶ Reinforced Bands: 14x14 Weave Per Sq. Inch, 1200 Denier, Pre-Punched 15mm Eyelets For Easy Installation
- ▶ UV-Treated & Long Lasting
- ▶ Superior Strength

### Sizes & Availability:

7'6" x 100' (With 3 Bands)

8'6" x 100' (With 3 Bands)

13' x 100' (With 5 Bands)

- ▶ Install With Our BC-111 Bungee Cords & HD Poly Tape To Ensure Proper Installation!



## String-Reinforced Polyethylene Sheeting

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ FR Material: Milky White
- ▶ Non-FR Material: Clear
- ▶ 6 Mil Thickness
- ▶ Long-Lasting
- ▶ Flexible In Cold Temperatures
- ▶ Durable With Superior Strength
- ▶ Puncture & Tear-Resistant

### Sizes & Availability:

10' x 100'

20' x 100'

40' x 100'

- ▶ All Sizes Available In Fire Retardant Or Non-Fire Retardant
- ▶ 20' x 100' Also Available In 10 Mil



## Strong Weave 77 Reinforced Poly

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ FR Material: Milky White
- ▶ Non-FR Material: Clear
- ▶ 6 Mil Thickness
- ▶ Long-Lasting
- ▶ Flexible In Cold Temperatures
- ▶ Durable With Superior Strength
- ▶ Puncture & Tear-Resistant
- ▶ Woven Reinforced 7x7 Weave

### Sizes & Availability:

10' x 100'

20' x 100'

40' x 100'

- ▶ All Sizes Available In Fire Retardant Or Non-Fire Retardant





# FENCING

## SBF-76 Barrier Fencing

- ▶ Easy Installation & Dismantling
- ▶ Low Cost
- ▶ Easy Handling
- ▶ High Density Polyethylene
- ▶ High Strength
- ▶ Durable & Lightweight

### Sizes & Availability:

Orange: 4' x 100'  
4' x 150'




## SBF-18 Diamond Mesh Plastic Fencing

- ▶ High Strength
- ▶ Rigid
- ▶ High Visibility
- ▶ Durable
- ▶ UV-Stabilized

### Sizes & Availability:

Orange: 4' x 50'



# ACCESSORIES

## Heavy Duty Polyethylene Tape

- ▶ Heavy Coat Weight Adhesive Allows For High Adhesion To Surfaces
- ▶ Ultra-Strong
- ▶ Designed For Permanent Applications
- ▶ Ideal For Use With Our String & Woven Reinforced Poly & Scaffold Wrap

### Sizes & Availability:

3' x 180'

- ▶ 16 Rolls/Ctn
- ▶ 10 Mil



## PVC Seam Tape

- ▶ Industrial Strength
- ▶ Ultra-Strong Grip
- ▶ Designed To Hold Back Wind And Weather
- ▶ Ideal For Use With Our String & Woven Reinforced Poly & Scaffold Wrap

### Sizes & Availability:

6' x 108'

- ▶ 8 Rolls/Ctn
- ▶ 6 Mil



## BC-111 Round Barrel Heavy Duty Bungee Cord

- ▶ Heavy-Duty Hook-And-Barrel Design
- ▶ 12" Long
- ▶ Good In Warm & Cold Weather
- ▶ 100 Ties Per Bag, 1000 Pieces Per Carton
- ▶ Easy To Use & Install

- ▶ Use The Strong Man BC-111 Round Barrel Heavy Duty Bungee Cords When Installing Scaffold Wrap, Poly Sheeting, Construction & Specialty Tarps



## ACCESSORIES

### Scaffold/Wind Clips

- ▶ Heavy-Duty Polyethylene Base Material
- ▶ Consistent Fabrication
- ▶ Flexible, But Strong
- ▶ Durable In Cold Weather
- ▶ Length-Wise Opening Allows For Easy Installation

#### Sizes & Availability:

- ▶ Size/Packaging: 11", 100 Clips/Ctn



### Heavy-Duty Cable Ties

- ▶ High Quality, Heavy-Duty Nylon
- ▶ 8", 11" & 14" Available
- ▶ 50 & 120 Lb Test Strength Available
- ▶ 100 Ties Per Bag
- ▶ Black Or White Available
- ▶ UV-Treated & Long-Lasting
- ▶ Heat-Stabilized
- ▶ Angled Tail Features For Easy Handling & Alignment

- ▶ Use Strong Man Cable Ties When Installing Our Debris Netting, Scaffold Wrap, Poly Sheeting, Construction And Specialty Tarps



### Barricade & Warning Tape

- ▶ Accident Prevention
- ▶ Traffic Control
- ▶ Use Indoors & Outdoors
- ▶ Construction-Site Safety

#### Sizes & Availability:

- ▶ 3" x 500' Per Roll, 12 Rolls/Ctn



### Rubber Straps

- ▶ Made From Strong EDPM
- ▶ Durable & Long-Lasting
- ▶ Equipped With "S" Hooks For Easy & Secure Installation
- ▶ 31" Available
- ▶ Black
- ▶ Works Well In Warm Or Cold Weather
- ▶ Easy To Use & Install


- ▶ Use The Strong Man Rubber Strap When Installing Any Of Our Construction, Mesh Or Specialty Tarps



### Heavy-Duty Rubber Band Tie

- ▶ Made From Superior Strength Rubber
- ▶ Durable & Long-Lasting
- ▶ Black
- ▶ Works Well In Cold Or Warm Weather
- ▶ Easy To Use & Install

- ▶ Use The Strong Man Heavy Duty Rubber Band Tie When Installing Scaffold Wrap To Any Scaffold







Founded in 1974, Strong Man Safety Products is a leading manufacturer of weather and debris enclosures for all seasons and applications. Through our national distributor network, construction companies, sub-contractors and utility companies have depended on our enclosures to serve as protective barriers between the rigors of construction and the daily commerce that surrounds it – all the while providing the customer a significant return on investment.

To locate a Strong Man distributor, call **1-800-950-6999**  
or visit **[www.strongman.com](http://www.strongman.com)**

**STRONG MAN® SAFETY PRODUCTS CORP.**

240 W Parkway, Pompton Plains, NJ 07444  
1610 Greens Road, Ste 400, Houston, TX 77032



MEMBER | ACDI, SAIA, STAFDA, IFAI

© 2016 Strong Man Safety Products Corp.